

Black Rock Speedway
DIRT – Black Rock – Woodhull
Four Cylinder Enduro Division

- ❖ In the event of a serious injury Black Rock Speedway reserves the right to impound any car involved in the accident
- ❖ The frame and suspension must remain completely stock original.
- ❖ All Cars must be 4-cylinder non-turbo charged cars, no pick-ups, jeeps, or convertibles.
- ❖ Only pump gas is permitted
- ❖ The stock carburetor / fuel injection system for that make and model must be used
- ❖ The stock transmission for that make and model must be used
- ❖ The battery must remain under the hood
- ❖ The stock unaltered rear end for that make and model must be used
- ❖ All season passenger tires only are permitted. Wheel and tires must be of same size. Stock wheels only with a maximum of 6” wide, and a maximum of 14” tall, wheels must be steel.
- ❖ Original gas tanks must remain in stock location, but if you want to use a fuel cell, it must be located in the truck. Trunk floor must remain stock, no lowering of the fuel cells.

- ❖ Driver's seat must be an approved aluminum racing seat, and have a minimum 4 point racing harness.
- ❖ A rollover hoop bar with forward down posts to the floor is mandatory with 2 - 1 ½" door bars on the driver's side door.
- ❖ The driver's door must be welded shut with a minimum of two 1/8" x 1" x 6" steel flats welded along the body side.
- ❖ All glass and plastic trim must be removed from the outside of the body. All headlights, taillights, marker lights, grills, mirrors, door handles, and any miscellaneous exterior plastic must be removed. Windshield may remain.
- ❖ It is recommended that all drivers wear a clean one piece driver's uniform with nomex underwear, head sock, gloves, foot socks and shoes.
- ❖ It is mandatory that as a minimum all drivers wear CARHARTT unlined denim bib overalls R08 and jacket J12DST or equivalent 100% cotton work wear. No polyester must be present.
- ❖ A drivers side window net is mandatory
- ❖ All drivers must wear a 1995 or newer SNELL approved full face helmet
- ❖ A neck brace is highly recommended
- ❖ The driver's floor pan must be complete, no holes of any kind
- ❖ The exhaust must exit behind the driver's compartment
- ❖ Cars must have a minimum 20" high number

- ❖ A cockpit mounted fire extinguisher is highly recommended
- ❖ No suggestive language, symbols and/or numbers are permitted on the cars.
- ❖ No radio communication
- ❖ At anytime only Black Rock Speedway may claim the racecar. The claim amount is \$800.00. All safety equipment may be retained by the driver.
- ❖ Anything not covered in these rules will be up to the discretion of the track officials', their decision is final.